

The Clear Solution For Cost-Effective Void Fill



Easy To Use:



1. Position products together in the carton according to size, leaving only one void area.



2. Insert the inflator nozzle into the Fill-Air[®] RF bag and place the bag on top of products.



3. With carton flaps partially closed, fill the bag until the void is filled. The clear bag allows for a visual check.



4. Remove nozzle, close remaining flap(s) and tape carton closed.

Fill-Air® RF Packaging System

The Simple, Space-Saving, Inflatable Void Fill Solution

By Using Air To Fill Various Size Voids, The System Provides:

Fast And Easy Use

With minimal training, the operator can easily insert the inflator nozzle into the extended valve for top void fill applications.



Versatility

The extended valve allows for blocking and bracing applications. Fill-Air[®] RF bags are available in six sizes for a wide variety of applications.

Environmental Advantages

Fill-Air[®] RF bags can be deflated and reinflated for reuse. Compared to bulky, traditional void fill packaging products, material volume is reduced by up to 90% for superior source reduction.



Reduced Storage And Handling Costs

Fill-Air[®] RF bags are shipped flat and inflated when used. One carton of 250 RF-4 (16" x 21") bags is the equivalent of up to 18 bags (14 cu. ft. each) of loose fill.

Excellent Product Protection

Made of extremely durable, clear and flexible film, inflated Fill-Air[®] RF bags lock items in place to avoid damage from movement during shipping.

Choose The System That's Right For You

Controlled Inflation Process The operator can inflate bags with the exact amount of air to fill the void, controlling the inflation process from start to finish.

Compact Size

Both systems fit into any packaging area eliminating the need for bulky equipment and overhead bins.

Ease Of Installation

The all-electric, Portable Inflator plugs into a standard 110 V outlet. The Pneumatic Inflator requires shop air and a standard 110 V outlet.

Reliability

Simple design eliminates service issues.

Flexibility For Maximum Efficiency And Productivity

The Portable Inflator can be set up anywhere. The Pneumatic Inflator is ideal for both individual and online workstations.



Fill-Air® RF P40 Portable Inflator



Fill-Air® RF R50 Pneumatic Inflator

Fill-Air [®] RF Bag Sizes			
RF-1	9" x 11"	RF-4	16" x 21"
RF-2	11" x 15"	RF-5	18" x 23"
RF-3	14" x 18"	RF-6	18" x 36"

Distributed by:



Protective Packaging Division 301 Mayhill Street Saddle Brook, NJ 07663-5303 800-648-9093 Fax: 201-712-7070 www.fillair.com

Corporate Office: Sealed Air Corporation(US) Park 80 East, Saddle Brook, NJ 07663-5291 www.sealedair.com ® Reg. U.S. Pat. & TM Off. © Sealed Air Corporation (US) 2006. All rights reserved. Printed in the U.S.A. The "9 Dot Logo" and "Sealed Air" are registered trademarks of Sealed Air Corporation (US). D-163 Rev. 4/06

Our Products Protect Your Products®